



# Eco-2 Chair Combo



**Models:** TC3 + TT3


















**Customization**

Black  
Chocolate  
Grey  
Khaki  
Mocha

## User Manual

Ergonomic and adjustable manicure  
customer and technician chair combo

# CUSTOMER CHAIR ASSEMBLY

|   |  |  |
|---|--|--|
| <b>A</b><br>x1<br>                 | <b>1</b><br><br>B (X5)                  | <b>3</b><br><br>D<br>H (X4)<br>E |
| <b>B</b><br>x5<br>                 | <b>2</b><br><br>C                       |  |
| <b>C</b><br>x1<br>                 | <b>4</b><br><br>G<br>J (X2)<br>I (X2) |  |
| <b>D</b><br>x1<br>                 | <b>5</b><br><br>J (X2)<br>I (X2)      |  |
| <b>E</b><br>x1<br>                 | <b>6</b><br>                          |  |
| <b>F</b><br>x1<br>                 |  |  |
| <b>G</b><br>x2<br>                 |  |  |
| <b>H</b><br>x4<br><br>M6 X 20 mm  |  |  |
| <b>I</b><br>x8<br><br>M6 X 25 mm |  |  |
| <b>J</b><br>x8<br>               |  |  |
| <b>K</b><br>x1<br>               |  |  |

## COMPONENTS

### 1 | Wheels (x5)

Allow chair free movement. Heavy duty PU wheels with PP covers to protect them from dust and dirt.

### 2 | Star metal base

Ensures the stability and safety of the chair. Steel frame with chrome plating, withstands up to 250 lb (113 kg) of weight.

### 3 | Chrome gas lift

Allows to adjust height up to 4.7" (12 cm). Nitrogen filled to ensure a safe use.

### 4 | Center pivot (butterfly) mechanism

Heavy duty height and tilt control mechanism.

### 5 | Armrests

Powder coated armrests with flip-up function to allow chair to fit under the table.


### 6 | Seat and backrest cushioning

Soft cushioned seat and backrest with acetone resistant upholstery. Innerspring cushioning to ensure durability and preserve seat shape.




## FEATURES

### Seat height adjustment




- To raise, pull lever upward and raise your body to allow the chair to rise to the desired height.
- To lower, pull lever upward and apply weight downwards on the seat.

### Tilt tension control knob



- Turn knob clockwise to increase tilt tension.
- Turn knob counter-clockwise to decrease tilt tension.
















### Lift-up armrests



### Acetone resistant



# TECHNICIAN CHAIR ASSEMBLY

|   |   |   |
|---|---|---|
| <p><b>A</b> × 1</p>                       | <p><b>1</b></p>    | <p><b>2</b></p>   |
| <p><b>B</b> × 5</p>                      |   |   |
| <p><b>C</b> × 1</p>                      | <p><b>3</b></p>    | <p><b>4</b></p>  |
| <p><b>D</b> × 1</p>                      |   |   |
| <p><b>E</b> × 1</p>                      |   |   |
| <p><b>F</b> × 1</p>                     |   |   |
| <p><b>G</b> × 4</p>  <p>M6 X 25 mm</p> | <p><b>5</b></p>  |                 |
| <p><b>H</b> × 4</p>  <p>M6 X 25 mm</p> |   |   |
| <p><b>I</b> × 1</p>                    |   |   |

## TECHNICIAN CHAIR COMPONENTS

### 1 | Wheels (x5)

Allow chair free movement. Heavy duty PU wheels with PP covers to protect them from dust and dirt.

### 2 | Star metal base

Ensures the stability and safety of the chair. Steel frame with chrome plating, withstands up to 200 lb (90 kg) of weight.

### 3 | Chrome gas lift

Allows to adjust height up to 4.7" (12 cm). Nitrogen filled to ensure a safe use.

### 4 | Center pivot (butterfly) mechanism

Heavy duty height and tilt control mechanism.


### 5 | Seat and backrest cushioning

Soft cushioned seat and backrest with acetone resistant upholstery. Innerspring cushioning to ensure durability and preserve seat shape.




## FEATURES

### Seat height adjustment



- To raise, pull lever upward and raise your body to allow the chair to rise to the desired height.
- To lower, pull lever upward and apply weight downwards on the seat.

### Tilt tension control knob



- Turn knob clockwise to increase tilt tension.
- Turn knob counter-clockwise to decrease tilt tension.

## MAINTENANCE RECOMMENDATIONS

Use a cleaning solution or sanitizer to clean the chairs. Clean the customer chair after every service, and the technician chair at the end every work day.

Intense industrial use can wear the wheels and gas lift cylinder over time. You should replace your chair's wheels and cylinder every few years or when they start to show signs of wear and tear. Regular maintenance and checking for any issues can help prolong their lifespan.



### STATE OF CALIFORNIA PROPOSITION 65 WARNING

Product may contain one or more chemicals known to the State of California to cause cancer or reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| TECHNICAL SPECIFICATIONS          |                                   |                             |
|-----------------------------------|-----------------------------------|-----------------------------|
|                                   | CUSTOMER CHAIR                    | TECHNICIAN CHAIR            |
| <b>Model</b>                      | TT3                               | TC3                         |
| <b>Dimensions</b>                 | <b>Height</b>                     | 19.5"                       |
|                                   |                                   | 21" Lowest<br>25.7" Highest |
|                                   | <b>Width</b>                      | 28"                         |
|                                   | <b>Depth</b>                      | 18"                         |
| <b>Maximum weight capacity</b>    | 250 lb                            | 200 lb                      |
| <b>Acetone resistant</b>          | Yes                               | Yes                         |
| <b>Chair legs material</b>        | Steel                             | Steel                       |
| <b>Upholstering fill material</b> | Foam                              | Foam                        |
| <b>Upholstery material</b>        | Vegan leather                     | Vegan leather               |
| <b>Swivel</b>                     | No                                | Yes                         |
| <b>Lift-up armrests</b>           | Yes                               | No                          |
| <b>Assembly required</b>          | Yes (all required tools included) |                             |
| <b>Wheels</b>                     | No                                | Included 5 wheels           |
| <b>Warranty</b>                   | 6 Months                          |                             |
| <b>Importer</b>                   | T-SPA MFG, LLC                    |                             |
| <b>Manufacturer</b>               | Anji Maochang Furniture Co., LT   |                             |

**T-SPA<sup>™</sup>**  
**WWW.TSPALLC.COM**

T-SPA MFG, LLC  
10510 Kinghurst Dr  
Houston, TX 77099  
1(888)508-8772  
Info@tspallc.com